SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name	**Alsus Hyd HLP 46**
Registration number (REACH)	Not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses	Lubricants, greases, release products

1.3 Details of the supplier of the safety data sheet

Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Telefon: +49 7664 9717 33
Telefax: +49 7664 9717 17
E-Mail: vertrieb@oelschueler.de
E-Mail: technik@oelschueler.de (sachkundige Person / Produktsicherheit)
Webseiten: oelschueler.de | oelfuxx24.de

1.4 Emergency telephone number:

Vergiftungs-Informations-Zentrale Freiburg
Emergency telephone: +49 (0) 761 19240
giftinfo@uniklinik-freiburg.de

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not relevant (mixture)

3.2 Mixtures

Description of the mixture

This product does not meet the criteria for classification in any hazard class according to GHS.

Hazardous ingredients acc. to EU regulation, Consideration of other advice

This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Do not leave affected person unattended. Remove victim out of the danger area. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth. Self-protection of the first aider.

Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Breathing difficulties. Headache. Vertigo.

4.3 Indication of any immediate medical attention and special treatment needed

Subsequent observance for pneumonia and pulmonary oedema. Supervise the blood circulation.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water spray, BC-powder, Carbon dioxide (CO2), Sand

Unsuitable extinguishing media

Water jet

5.2 Special hazards arising from the substance or mixture

Danger of bursting container.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO2)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Remove persons to safety. Ventilate affected area. Avoidance of ignition sources.

For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases. Provision of sufficient ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

PÜG Fachgemeinschaft Schmierstoffqualität e.V.
Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de
Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110
Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains

Advice on how to clean up a spill

Wipe up with absorbent material (e.g. cloth, fleece). Collect spillage: sawdust, kieselgur (diatomite), sand, universal binder

Appropriate containment techniques

Use of adsorbent materials.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Recommendations

- measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

- Lagerklasse (storage class according to TRGS 510, Germany) 10 (combustible liquids)

7.3 Specific end use(s)

See section 16 for a general overview.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values (Workplace Exposure Limits)

this information is not available

8.2 Exposure controls

Appropriate engineering controls

General ventilation.

Individual protection measures (personal protective equipment)

Eye/face protection

Wear eye/face protection.

Skin protection

- hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

- type of material

PE: polyethylene, CR: chloroprene (chlorobutadiene) rubber, IIR: isobutene-isoprene (butyl) rubber

PÜG Fachgemeinschaft Schmierstoffqualität e.V.
Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de
Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110
Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER

- material thickness > 0,35 mm
- breakthrough times of the glove material 0,4 mm
  >120 minutes (permeation: level 4)
- other protection measures
  Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory protection

[In case of inadequate ventilation] wear respiratory protection. Combination filtering device (EN 141). Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	yellow
Odour	characteristic
Melting point/freezing point	<-15 °C at 1.013 hPa
Boiling point or initial boiling point and boiling range	≥207 °C at 101,3 kPa
Evaporation rate	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0,6 vol% - 6,5 vol%
Flash point	>200 °C
Auto-ignition temperature	not determined
pH (value)	not determined
Kinematic viscosity	46 $^{mm^2}/_{s}$ at 40 °C
Solubility(ies)	not determined

Partition coefficient

Partition coefficient n-octanol/water (log value)	this information is not available

Vapour pressure	<0,1 hPa at 20 °C

Density and/or relative density

Density	0,863 $^{g}/_{cm^3}$ at 15 °C

Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de
Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110
Fachgemeinschaft Schmierstoffqualität e.V.
Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER

Particle characteristics	not relevant (liquid)

9.2 Other information

Information with regard to physical hazard classes	hazard classes acc. to GHS (physical hazards): not relevant
Other safety characteristics	there is no additional information

SECTION 10: Stability and reactivity

10.1 Reactivity
Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials".

10.2 Chemical stability
The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions
In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture.

10.4 Conditions to avoid
There are no specific conditions known which have to be avoided.

10.5 Incompatible materials
Oxidisers

10.6 Hazardous decomposition products
Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
Test data are not available for the complete mixture.

Classification procedure
The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)
This mixture does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

Acute toxicity
Shall not be classified as acutely toxic.

Skin corrosion/irritation
Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation
Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation
Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity
Shall not be classified as germ cell mutagenic.

Carcinogenicity
Shall not be classified as carcinogenic.

Reproductive toxicity
Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Fachgemeinschaft Schmierstoffqualität e.V.
Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de
Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110
Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

11.2 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Acc. to 1272/2008/EC: Shall not be classified as hazardous to the aquatic environment.
Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV): WGK 1, slightly hazardous to water (Germany)

12.2 Persistence and degradability

Biodegradation

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

Relevant provisions relating to waste

Mineral based non-chlorinated hydraulic oils 13 01 10*

Remarks

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

SECTION 14: Transport information

14.1	**UN number or ID number**	not subject to transport regulations
14.2	**UN proper shipping name**	not relevant
14.3	**Transport hazard class(es)**	none
14.4	**Packing group**	not assigned

PÜG Fachgemeinschaft Schmierstoffqualität e.V.
Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de
Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110
Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER

14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list

none of the ingredients are listed

Seveso Directive

2012/18/EU (Seveso III)			
No	**Dangerous substance/hazard categories**	**Qualifying quantity (tonnes) for the application of lower and upper-tier requirements**	**Notes**
	not assigned		

Industrial Emissions Directive (IED)

VOC content

< 3 %.

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations (Germany)

Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on

Fachgemeinschaft Schmierstoffqualität e.V.
Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de
Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110
Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER

facilities for handling substances hazardous to water) (AwSV)

Wassergefährdungsklasse, WGK (water hazard class) 1 slightly hazardous to water

Technical instructions on air quality control (Germany)

Number	Group of substances	Class	Conc.	Mass flow	Mass concentration	Notation
5.2.5	organic substances		≥ 25 wt%	0,5 $^{kg}/_{h}$	50 $^{mg}/_{m^3}$	3)

Notation

3) a total mass flow of 0.50 kg/h or a total mass concentration of 50 mg/m³, each of which to be indicated as total carbon, shall not be exceeded (except organic particulate matter)

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

Fachgemeinschaft Schmierstoffqualität e.V.
Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de
Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110
Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.
2.3	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.
12.5	Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.
12.6	Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) at a concentration of ≥ 0,1%.

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

PÜG Fachgemeinschaft Schmierstoffqualität e.V.

Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen

Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de

Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110

Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties: The classification is based on tested mixture.
Health hazards, Environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

Fachgemeinschaft Schmierstoffqualität e.V.
Willi Schüler GmbH
Alemannenstraße 4-6
79285 Ebringen
Tel.: +49 7664 - 9717 - 33
E-Mail: vertrieb@oelschueler.de
www.oelfuxx24.de
www.oelschueler.de
Ust.-ID-Nr.: DE 815435931
Sitz der Gesellschaft: Ebringen
Geschäftsführer: Martin Schüler
Amtsgericht Freiburg HRB 710110
Seit 1974 Willi Schüler SCHMIERSTOFF PARTNER